








TOWER CRANE




通过ISO9001国际质量体系认证
Our products have been awarded of ISO9001

载荷特性 Load diagrams



$$\nabla = \square - 0.3t$$




标准小车可使用2/4倍绳率。(使用四倍绳率时, 应从二倍率的载荷中减去0.3吨)
Standard trolley 2/4 fall. (When using ∇ subtract 0.3t from the loads \square)


Stationary anchorage height

★ 紧固附着框


△ 放松附着框



塔身截面 Mast 1.6mx1.6m



塔身截面 Mast 2.0mx2.0m




F 反力 Reactions

- 工作状态 in service
- 非工作状态 Out of service

⊙ 自重 Self-load









不带载荷及配重 Without load and ballast
最大臂长及标准 With longest jib and
高度时的自重 Free standing height

内爬塔机 Climbing crane



	BA476	BA479	BA675
A	7m-11m	12m-14m	16m-21m
B	1.6m	1.6m	2m
C	2.15m	2.31m	2.58m
D	1.80m	1.77m	2.17m
H1	26.8m	43.3m	53.6m
RT			
R2			
P			

机构特性 Mechanisms specification



起升 Hoisting								电机 (kw)	
			m/min	t	m/min	t			
		70RCS25	0-40	5.0	0-20	10.0	486m	51.5	
			0-80	2.5	0-40	5.0			
		45LVP25	0-36	5.0	0-21	10.0	600m	45	
0-72	2.5		0-42	5.0					
0-108	1.25		0-54	2.5					
变幅 Trolleying		4T3V4	7.5/28/57				95Nm		
		4TVF	0-55m/min				4		
回转 Slewing		RCV95	0-0.7 rpm				2x95Nm		
		5.5SVF	0-0.7 rpm				2x5.5		
行走 Travelling		4TRVF	0-12 m/min				4x4		
电源 Mains supply			380V/50HZ 440V/60HZ						
供电容量 Necessary electric power			90 KVA						

以上参数可按用户要求配置

The related parameters could be configured according to clients requests

执行标准 Voluntary Standards: GB/T13752

塔机配重表 Crane ballast

		
60m	L=14.4m	15.5 t
55m	L=14.4m	14.8 t
50m	L=11.9m	16.1 t
45m	L=11.9m	14.8 t
40m	L=11.9m	13.6 t
35m	L=11.9m	10.5 t
30m	L=11.9m	9.3 t

运输 Shipping

塔身 Tower	高度 (m) Height (m)	集装箱数量 Container QTY			
		FR	40' OP	40' HQ	20' GP
L46A	44.8				
L68A	59.8				

Contract Information:

Tel: 0086-24-88901098 Fax: 0086-24-88095022

Email: info@cn-zcjj.com

Office Address: 308 room, Fengjingruige building,
code 256, Dongbei danalu, Dadong District, Shenyang,
China

Post Code: 110044

Factory Address: The north of Huanggu Industry,
Shenyang City, Liaoning Province, China.

Website: www.zcjjtowercrane.com

沈阳正创建筑机械有限公司

联系方式:

电话: 024-88901098

传真: 024-88095022

邮箱: info@cn-zcjj.com

地址: 沈阳市大东区东北大马路256号